

SUMMARY OF LEAD-BASED PAINT REQUIREMENTS BY ACTIVITY

	Rehabilitation (Subpart J)			TBRA (Subpart M)	A,L,SS,O (Subpart K)
	≤ \$5,000	\$5000-\$2500	> \$25,000		Homebuyer and Special Needs*
Approach to Lead Hazard Evaluation and Reduction	1. Do no harm	3. Identify and control lead hazards	4. Identify and abate lead hazards	2. Identify and Stabilize deteriorated paint	2. Identify and Stabilize deteriorated paint
Notification	Yes	Yes	Yes	Yes	Yes
Lead Hazard Evaluation	Paint Testing (of surfaces to be disturbed)	Paint Testing and Risk Assessment	Paint Testing and Risk Assessment	Visual Assessment	Visual Assessment
Lead Hazard Reduction	Repair surfaces disturbed during rehabilitation	Interim Controls	Abatement (Interim Controls on exterior surfaces not disturbed by rehabilitation)	Paint Stabilization	Paint Stabilization
	Safe work practices Clearance	Safe work practices Clearance	Safe work practices Clearance	Safe work practices Clearance	Safe work practices Clearance
Ongoing Maintenance	For HOME rental only	For HOME rental only	For HOME rental only	Yes	Yes (if ongoing relationship)
EIBLL Requirements	No	No	No	Yes	No
Options	Presume lead-based paint Use safe work practices on all surfaces	Presume lead-based and/or hazards Use Standard treatments	Presume lead-based and/or hazards Abate all applicable surfaces	Test deteriorated paint Use safe work practices only on lead-based paint surfaces	Test deteriorated paint Use safe work practices only on lead-based paint surfaces

- Special Needs Housing may be subject to the requirements of Subpart J, M, or K depending on the nature of the assistance provided. However, since most special needs housing involves acquisition, leasing, support services, and operations, for the purposes of this table, it has been placed in this column.