

06/17/2021

TITLE V, FEDERAL SURPLUS PROPERTY PROGRAM  
FEDERAL REGISTER REPORT FOR 06/18/2021

SUITABLE / AVAILABLE PROPERTIES  
BUILDING  
CALIFORNIA

FS2506 N. Fork Gas/Oil Shed  
57003 Road 225  
North Fork CA 93643  
Landholding Agency: USDA-FS  
Property Number: 13202120065  
Status: Unutilized  
Directions:

Remote location. Located inside of North Fork Compound.  
Lat 37.23586927 Long -119.5062487. RPUID: 1322.004381

Comments:

Offsite removal only. 29 yr. old, wood, 128 SF storage. Vacant 60+ mos.  
Satisfactory cond. Contact agency for more information.

MISSOURI

Gasconade Harbor Facility  
1502 Corps Rd.  
Gasconade MO 65036  
Landholding Agency: USACE  
Property Number: 31202120005  
Status: Excess  
Directions:

Coordinates 38.674171, -91.551670

Comments:

Offsite removal only. Double-wide trailer, 1,500 SF, built 1990's. In area of  
occasional flooding. Contact agency for more information.

UNSUITABLE PROPERTIES  
BUILDING  
ALASKA

6 Bldgs.

Fairbanks Airport

Fairbanks Airport AK 99706

Landholding Agency: DOC

Property Number: 27202120004

Status: Unutilized

Directions:

Upper air inflation balloon and ancillary bldgs.

Comments:

Offsite removal only. Building built approx. 1964, wood, metal, and concrete. Six items totaling 1,310 SF. Located on leased land. Vacant 2 yrs., deterioration from harsh weather.

Reasons:

Structural Damage - Extensive Deterioration

GEORGIA

Roybal Bldg. 16 Pkg. Structure

1600 Clifton Road

Atlanta GA 30302

Landholding Agency: GSA

Property Number: 54202120013

Status: Excess

GSA Number: 4-G-GA-0857-AA

Directions:

The site is latitude 33.798670, Longitude -84.326972

Comments:

Land leased to CDC. Security requirements and ongoing CDC operations prohibit a private entity or local government entity from occupying the subject property. Continued government need.

Reasons:

Other - Continued Federal Need

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 33  
33 Old Dewline Road  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120016  
Status: Excess  
Directions:

RPUID: 44128. Cape Cod National Seashore

Comments:

Offsite removal only. 80 yr. old 5,780 SF single family home. Very poor condition-bldg. will collapse if moved. Asbestos present in floor materials and joint compound sheetrock. (1999 report).

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive Deterioration

AFS Bldg. 10  
35 Old Dewline Road  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120017  
Status: Excess  
Directions:

RPUID: 44129 Cape Cod National Seashore

Comments:

Off-site removal only; 64 yrs. old; 5,780 sq. ft.; residential; very poor condition; structurally unsound. Asbestos present per report. Building will collapse if moved.

Reasons:

Structural Damage - Extensive Deterioration. Documented Deficiencies-Contamination

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 11  
37 Old Dewline Road  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120018  
Status: Excess  
Directions:

RPUID:44131  
Cape Cod National Seashore

Comments:

Off-site removal only; 62 yrs. old; 5,780 sq. ft.; residential; very poor condition; structurally unsound. Asbestos present per report. Building will collapse if moved.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

AFS Bldg. 201  
208 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120019  
Status: Excess  
Directions:

RPUID: 44174  
Cape Cod National Seashore

Comments:

Off-site removal only; 62 yrs. old; 1,648 sq. ft.; very poor condition; structurally unsound. Asbestos present per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 202  
206 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120020  
Status: Excess  
Directions:

RPUID:44175 Cape Cod National Seashore

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; structurally unsound. Asbestos present per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive Deterioration

AFS Bldg. 204  
202 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120021  
Status: Excess  
Directions:

RPUID:44177 Cape Cod National Seashore.

Comments:

Off-site removal only; 62 yrs. old; 1,648 sq. ft.; residential; very poor condition/deterioration; structurally unsound. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 205  
201 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120022  
Status: Excess  
Directions:

RPUID:44178

Comments:

Off-site removal only; 50 yrs. old; 1,648 sq. ft.; very poor condition; unsound/extensive deterioration. LBP/asbestos throughout per report. Bldg. will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

AFS Bldg. 206  
203 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120023  
Status: Excess  
Directions:

RPUID:44179

Comments:

Off-site removal only; 62 yrs. old; 1,648 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive  
Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 207  
205 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120024  
Status: Excess  
Directions:

RPUID:44180

Comments:

Off-site removal only; 62 yrs. old; 1,648 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

AFS Bldg. 208  
207 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120025  
Status: Excess  
Directions:

RPUID:44181

Comments:

Off-site removal only; 62 yrs. old; 1,648 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive  
Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 209  
209 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120026  
Status: Excess  
Directions:

RPUID:44182

Comments:

Off-site removal only; 62 yrs. old; 1,648 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

AFS Bldg. 210  
214 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120027  
Status: Excess  
Directions:

RPUID:44183

Comments:

Off-site removal only; 62 yrs. old; 1,648 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive  
Deterioration



UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 211  
212 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120028  
Status: Excess  
Directions:

RPUID:44184

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

AFS Bldg. 212  
210 Thatcher Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120029  
Status: Excess  
Directions:

RPUID:44185

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive  
Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 213  
111 Wilson Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120030  
Status: Excess  
Directions:

RPUID:44186

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 214  
113 Wilson Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120031  
Status: Excess  
Directions:

RPUID:44187

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; unsound/extensive deterioration. Lead paint/asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive Deterioration

AFS Bldg. 215  
115 Wilson Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120032  
Status: Excess  
Directions:

RPUID:44188

Comments:

Off-site removal only; 62 yrs. old; 2,000 sq. ft.; very poor condition; unsound/extensive deterioration Asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 216  
114 Wilson Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120033  
Status: Excess  
Directions:

RPUID:44189

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; unsound/extensive deterioration. Asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

AFS Bldg. 217  
110 Wilson Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120034  
Status: Excess  
Directions:

RPUID:44190

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; unsound/extensive deterioration. Asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. 218  
112 Wilson Blvd.  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120035  
Status: Excess  
Directions:

RPUID:252368

Comments:

Off-site removal only; 62 yrs. old; 1,815 sq. ft.; very poor condition; unsound/extensive deterioration. Asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

AFS Bldg. T18  
47 Old Dewline Road  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120036  
Status: Excess  
Directions:

RPUID:44140

Comments:

Off-site removal only; 70 yrs. old; 4,680 sq. ft.; very poor condition; unsound/extensive deterioration including. Asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive  
Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

AFS Bldg. T22  
51 Old Dewline Road  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120037  
Status: Excess  
Directions:

RPUID:44143

Comments:

Off-site removal only; 70 yrs. old; 1,340 sq. ft.; very poor condition; unsound/extensive deterioration. Asbestos present per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive Deterioration

AFS Bldg. T23  
53 Old Dewline Road  
Truro MA 02652  
Landholding Agency: DOI  
Property Number: 61202120038  
Status: Excess  
Directions:

RPUID:44144

Comments:

Off-site removal only; 69 yrs. old; 11,240 sq. ft.; very poor condition; unsound/extensive deterioration. Asbestos present per report. Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented Deficiencies-Contamination

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

BU-T-434-Mitre Site Warehouse

See Directions

Truro MA 02652

Landholding Agency: DOI

Property Number: 61202120039

Status: Excess

Directions:

+41.9732980, -070.0195380; RPUID:114112

Comments:

Off-site removal only; 66 yrs. old; 1,500 sq. ft.; warehouse; unsound/deterioration.  
Building will collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration

T-230 (MITRE Site) GEO Lab

See Directions

Truro MA 02652

Landholding Agency: DOI

Property Number: 61202120040

Status: Excess

Directions:

RPUID:106575; +41.9759430, -070.0151060

Comments:

Off-site removal only; 66 yrs. old; 750 sq. ft.; lab; very poor condition;  
unsound/extensive deterioration. LBP and asbestos present per report. Building will  
collapse if attempt is made to move.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

UNSUITABLE PROPERTIES  
BUILDING  
MASSACHUSETTS

T-231 (MITRE Site) Bio Lab

See Directions

Truro MA 02652

Landholding Agency: DOI

Property Number: 61202120041

Status: Excess

Directions:

RPUID: 106574; +41.9732980, -070.0195380

Comments:

Off-site removal only; 55 yrs. old; 2,500 sq. ft.; lab; very poor condition; unsound/extensive deterioration. LBP; asbestos per report. Building will collapse if attempt is made to move.

Reasons:

Documented Deficiencies-Contamination. Structural Damage - Extensive Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
MISSOURI

Shelter 9 Vault Toilet

See Directions

Kansas City MO

Landholding Agency: USACE

Property Number: 31202120006

Status: Unutilized

Directions:

LNGVW-28446, Structure #40003. Tract 251

Comments:

Offsite removal only. 40 yr. old vault toilet. Extreme poor repair.

Reasons:

Floodway. Structural Damage - Extensive Deterioration



UNSUITABLE PROPERTIES  
BUILDING  
MISSOURI

Stilling Basin Vault Toilet

See Directions

Kansas City MO

Landholding Agency: USACE

Property Number: 31202120008

Status: Unutilized

Directions:

LNGVW-28465, Structure #70004. Tract 125

Comments:

Offsite removal only. 40-yr. old Vault toilet in extreme disrepair and is falling apart.

Reasons:

Structural Damage - Extensive Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
NEVADA

Bldg. 06-CP-3

Nevada National Security Site, Area 6

Mercury NV 89023

Landholding Agency: DOE-NNSA

Property Number: 42202120004

Status: Unutilized

Directions:

FIMS Asset ID 999989

Comments:

Offsite removal only. 48 yr. old, 349 SF building located in a secure Federal facility, restricted access. Building is in poor condition. Remote location.

Reasons:

National Security Concerns. Structural Damage - Extensive Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
NEVADA

Bldg. 06-999929

Nevada National Security Site, Area 06

Mercury NV 89023

Landholding Agency: DOE-NNSA

Property Number: 42202120005

Status: Unutilized

Directions:

FIMS Asset ID 999929

Comments:

Offsite removal only. 49 yr. old, 603 SF steel light frame bldg. Located in national security site, no public access.

Reasons:

National Security Concerns

Bldg. 06-CO-72

Nevada National Security Site, Area 06

Mercury NV 89023

Landholding Agency: DOE-NNSA

Property Number: 42202120006

Status: Unutilized

Directions:

FIMS Asset ID 201939

Comments:

Offsite removal only. 42 yr. old, 7,517 SF bldg. Located in national security area, no public access. Poor condition.

Reasons:

National Security Concerns

UNSUITABLE PROPERTIES  
BUILDING  
NEW MEXICO

Burnside Building  
725 Ruins Road  
Aztec NM 87410  
Landholding Agency: DOI  
Property Number: 61202120015  
Status: Excess  
Directions:

RPUID: 246195.

Comments:

Offsite removal only. Built 1978, 2,100 SF single family home. Poor condition.  
Vacant 5 yrs. Asbestos and mold per 2017 report.

Reasons:

Structural Damage - Extensive Deterioration. Documented  
Deficiencies-Contamination

NORTH CAROLINA

Doughton Park CG Kiosk  
43075 Blue Ridge Parkway  
Laurel Springs NC 28644  
Landholding Agency: DOI  
Property Number: 61202120014  
Status: Unutilized  
Directions:

Blue Ridge Parkway. RPUID 4449.  
Long/lat. 36.428925 / -81.154391, Milepost 239.3

Comments:

Offsite removal only. Built 1974, Small campground kiosk/info. Center. Moving  
would probably cause structural damage or collapse.

Reasons:

Structural Damage - Extensive Deterioration

UNSUITABLE PROPERTIES  
BUILDING  
UTAH

Palisades Pk. Grp. Toilet  
Forest Service Road #155  
Manila UT 84046  
Landholding Agency: USDA-FS  
Property Number: 13202120064  
Status: Excess  
Directions:

NRM #3018, CN #1625.00269. Flaming Gorge Rd. Ashley National Forest.

Comments:

Offsite removal only. Built 1966, precast concrete 61 SF comfort station toilet.

Reasons:

Other - Comfort station/toilet